



OGS32-II-L
page1-4



OGS32-L
page5-8



Pour en savoir plus:
www.quefairedemesdechets.fr

1



4



5

× 2



6

× 4



8



10




14

× 4



1.



Unfasten the velcro straps and put aside the two bars.

2.




Unfold the legs of the camping bed and stand them on a solid & level ground.

3.



Expand the legs.

4.



Align a bar and insert it into the bed sleeve.

5.



Align the hole position

6.



Get stuck in the hole

7.



Insert another bar on the opposite bed sleeve and repeat step 4-6.

8(X4).




Connect the FRP poles.

9.



Insert the FRP poles into the tent.

10.



Connect the four poles with a junction cross diagonally.

11.



Then insert another end of FRP poles into the holes of the camping bed.

12.



Internal hooks that
can hang lights



OR



The curtain can be hung
up or lowered



Thread the rope through the hole
and tie it



Shoe bag can be hung




 Pour en savoir plus:
www.quefairedemesdechets.fr


1



2



3



4



5
X 2



6
X 4



7a



7b



7c



8



9
X 2



10



11
X 2




12
X 2



13
X 2




1.




2.




3.




4.




5(X4).



6.




7.




8.




9.




10.



11(X2).




12.



13.



14(X2).



15.





Scan the QR code to
share your review